

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/374,598	MENSEN, JAN HENDRIK
	Examiner HANH V. TRAN	Art Unit 3637

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the amendment filed on 7/20/2010.
2.  The allowed claim(s) is/are 1-23, 41, 42, 44 and 67-76.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

/Hanh V. Tran/  
Primary Examiner, Art Unit 3637

## DETAILED ACTION

1. This Office action is in response to the Amendment filed on 7/20/2010.

### ***Allowable Subject Matter***

2. Claims 1-23, 41-42, 44, 67-76 are allowed. Claims 41-42, 44, 67-76 have been renumbered as 24-25, 26, and 27-36, respectively.
3. The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or fairly suggest, (1) in combination with all the elements recited in each of the independent claims 1, 12, 16-17, 23, 41-42, and 44, a series of first narrow bracing members extending from positions adjacent a mid-point of said narrow strip member to positions spaced a short distance from the ends of said end plates, and (2) in combination with all the elements recited in claim 13, said top of one said panel is substantially thicker than the bottom thereof, said outer surface of said one panel is profiled to extend outwardly and upwardly from said bottom thereof to said top thereof, and wherein said inside surface of said thicker part is partially cut away in areas spaced from said bridging members.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. It is also noted that application No. 08/772090, now U.S. Patent No. 5,809,727, is a continuation of 08/262,505 of which the instant application is a reissue of. A comparison between the claims of U.S. Patent No. 5,809,727 and the pending claims of

the instant application for any double patenting was performed, and no double patenting was found.

***Conclusion***

5. Applicant's statement of substance of interview filed on 7/27/2009 regarding the telephone interview conducted on 7/16/2009 is acknowledged and substantially

corrected.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HANH V. TRAN whose telephone number is (571)272-6868. The examiner can normally be reached on Monday-Thursday, and alternate

Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darnell M. Jayne can be reached on (571) 272-7723. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HVT  
July 30, 2010

/Hanh V. Tran/  
Primary Examiner, Art Unit 3637